

## 6 Prong Round Settings

**2-61, 6 Prong 14K Y/W Die Struck...Pre-Cut Bearing.** Order by carat size.

ct sz	<u>.16</u>	<u>.25</u>	<u>.33</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>
mm sz	3.5	4.0	4.3	4.6	5.0	5.5	6.0	6.5	7.0	7.5
mm ht	6.7	7.1	7.4	7.5	7.8	8.0	8.0	8.2	8.4	8.4
\$	\$24	\$28	\$30	\$30	\$40	\$41	\$46	\$50	\$60	\$61

ct sz	<u>2ct</u>	<u>2.50</u>	<u>3ct</u>	<u>3.50</u>	<u>4ct</u>	<u>5ct</u>	<u>6ct</u>
mm sz	8.0	9.0	9.5	10.0	11.0	12.0	14.0
mm ht	8.7	8.9	9.1	9.7	10.3	11.0	12.2
\$	\$65	\$70	\$80	\$86	\$91	\$123	\$136



**2-62, 6 Prong 14K Y/W Die Struck, High Version of 2-65...Order by carat size.**

ct sz	<u>.06</u>	<u>.08</u>	<u>.10</u>	<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>
mm sz	2.5	2.7	2.9	3.1	3.5	4.0	4.6	5.0
mm ht	6.6	6.7	6.8	7.0	7.0	7.1	7.2	7.2
\$	\$22	\$22	\$25	\$26	\$28	\$29	\$30	\$31

ct sz	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>
mm sz	5.5	6.0	6.5	7.0	7.5	8.0
mm ht	7.3	7.8	7.9	8.3	8.6	9.1
\$	\$31	\$46	\$49	\$51	\$52	\$78



**2-65, 6 Prong 14K Y/W Die Struck, Low Version of 2-62...Order by carat size.**

ct sz	<u>.06</u>	<u>.08</u>	<u>.10</u>	<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>
mm sz	2.5	2.7	2.9	3.1	3.5	4.0	4.6	5.0
mm ht	5.4	5.6	5.6	5.6	5.8	6.1	6.3	6.4
\$	\$18	\$20	\$22	\$22	\$23	\$23	\$27	\$32

ct sz	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>
mm sz	5.5	6.0	6.5	7.0	7.5	8.0
mm ht	6.7	7.0	7.3	7.6	7.6	7.7
\$	\$33	\$40	\$42	\$51	\$54	\$57



**2-153, 6 Prong Round Base High Setting, 14K Y/W Die Struck...Order by carat size.**

ct sz	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>
mm sz	3.5	4.0	4.6	5.0	5.5	6.0	6.5	7.0	7.5	8.0
mm ht	8.2	8.4	8.9	9.2	9.3	9.4	9.9	10.0	10.2	10.8
\$	\$39	\$47	\$52	\$56	\$58	\$64	\$67	\$74	\$87	\$95



MM									
Approx. Ct Wt.	.50	.62	.75	1.0	1.25	1.5	2.0	2.5	3.0

## 6 Prong Round Settings

2-57, 6 Prong Round Base Med Height 14K Y/W Die Struck...Order by carat size. **A2-57** (Plat sizes .25-3ct)

<u>.06</u>	<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.33</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	ct sz
2.5	3.1	3.5	4.0	4.3	4.6	5.0	5.5	mm sz
4.8	5.0	6.0	6.4	6.5	6.8	7.1	7.9	mm ht
\$14	\$16	\$19	\$27	\$33	\$36	\$42	\$49	\$

<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>	<u>2.25</u>	<u>2.50</u>	<u>3ct</u>	ct sz
6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	mm sz
8.0	8.3	8.8	9.0	9.5	9.6	9.9	10.0	mm ht
\$53	\$70	\$73	\$82	\$88	\$103	\$105	\$158	\$



2-6, 6 Prong Heavy Wt 14K Die Struck (Sizes 2 1/2 - 6ct 14K Y/W all other sizes 14KW)  
Order by carat size. **A2-6** (Plat), **D2-6** (18KW sizes .12-2ct)

<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.33</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	ct sz
3.1	3.5	4.0	4.4	4.6	5.0	5.5	6.0	6.5	7.0	7.5	mm sz
7.3	7.4	7.5	7.6	7.7	7.8	7.9	8.3	8.4	8.5	8.8	mm ht
\$21	\$26	\$35	\$36	\$39	\$46	\$50	\$57	\$64	\$75	\$79	\$

<u>2ct</u>	<u>2.50</u>	<u>3ct</u>	<u>3.50</u>	<u>4ct</u>	<u>5ct</u>	<u>6ct</u>	ct sz
8.0	9.0	9.5	10.0	10.5	12.0	14.7	mm sz
8.9	9.0	9.3	9.5	10.7	11.7	12.3	mm ht
\$85	\$93	\$95	\$109	\$110	\$145	\$190	\$



## Rounds

2-164, 6 Prong Round Base Low Height 14K Y/W Die Struck...Order by carat size.

<u>.05</u>	<u>.07</u>	<u>.10</u>	<u>.12</u>	<u>.16</u>	<u>.20</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	ct sz
2.3	2.6	2.9	3.1	3.5	3.8	4.0	4.6	5.0	5.5	mm sz
2.7	3.2	3.6	4.0	4.3	4.7	4.9	5.2	5.7	5.8	mm ht
\$9	\$10	\$12	\$12	\$17	\$18	\$24	\$24	\$29	\$34	\$

<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>	<u>2.50</u>	<u>3ct</u>	<u>3.50</u>	<u>4ct</u>	ct sz
6.0	6.5	7.0	7.5	8.0	8.5	9.5	10.0	11.0	mm sz
6.0	6.3	6.3	7.1	7.4	7.4	7.4	8.4	8.5	mm ht
\$35	\$50	\$52	\$60	\$71	\$71	\$82	\$82	\$97	\$



2-163, 6 Prong Round Base Closed Back 14K Y/W Die Struck...Order by carat size.

<u>.05</u>	<u>.07</u>	<u>.10</u>	<u>.12</u>	<u>.16</u>	<u>.20</u>	<u>.25</u>	<u>.50</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>	ct sz
2.3	2.6	2.9	3.1	3.5	3.8	4.0	5.0	6.0	6.5	7.0	7.5	8.0	mm sz
2.7	3.2	3.6	4.0	4.3	4.7	4.9	5.5	5.7	5.8	6.0	6.2	6.4	mm ht
\$9	\$9	\$12	\$12	\$17	\$19	\$22	\$26	\$32	\$41	\$42	\$42	\$43	\$



MM	1.3	1.6	2.0	2.5	2.7	2.9	3.2	3.4	3.5	3.8	4.0	4.3	4.6
Approx. Ct. Wt.	.01	.02	.03	.06	.08	.10	.13	.15	.16	.20	.25	.33	.40

## 6 Prong Round Settings

**2-31, 6 Prong Tulip 14K Y/W Die Struck...Order by carat size.**

ct sz	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<b>1ct</b>	<b>1.25</b>	<b>1.50</b>	<b>2ct</b>	<b>2.50</b>	<b>3ct</b>
mm sz	4.0	4.6	5.0	5.5	6.0	6.5	7.0	7.5	8.0	9.0	9.5
mm ht	6.7	6.8	7.1	7.3	7.6	7.8	8.3	8.5	8.6	8.7	8.9
\$	\$22	\$24	\$30	\$30	\$40	\$40	\$51	\$52	\$58	\$71	\$72



SETTINGS

**2-346, 6 Prong Basket 14K Y/W Cast...Order by carat size.**

ct sz	<u>.12</u>	<u>.25</u>	<u>.40</u>	<u>.60</u>	<u>.75</u>	<b>1.25</b>	<b>1.50</b>	<b>2ct</b>	<b>3ct</b>	<b>3.50</b>
mm sz	3.1	4.0	4.6	5.5	6.0	7.0	7.5	8.0	9.5	10.0
mm ht	4.2	4.5	5.0	5.5	6.0	7.0	7.5	8.0	8.5	9.0
\$	\$16	\$19	\$22	\$28	\$32	\$42	\$48	\$52	\$66	\$67

ct sz	<b>4ct</b>	<b>5ct</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>
mm sz	11.0	12.0	<b>14.0</b>	<b>16.0</b>	<b>18.0</b>	<b>20.0</b>	<b>22.0</b>
mm ht	9.5	11.0	11.3	11.9	12.3	12.5	12.7
\$	\$85	\$127	\$165	\$186	\$201	\$245	\$264



14-22mm Order by mm Size

## 6 Prong Round Peg Settings

ALL MEASUREMENTS ARE WITHOUT PEG

**2-52, 6 Prong Peg 14KW Cast...Order by carat size.**

ct sz	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<b>1ct</b>	<b>1.25</b>	<b>2ct</b>
mm sz	3.5	4.0	4.6	5.0	5.5	6.0	6.5	7.0	8.0
mm ht	5.0	5.0	5.25	5.75	6.0	6.0	6.25	7.0	8.0
\$	\$26	\$27	\$30	\$34	\$37	\$37	\$38	\$48	\$65



**2-56, 6 Prong Peg for Cluster Tops (4.5-9mm 14K Y/W) (9.5-16mm 14KW) Die Struck**  
Order by mm size. Notched for tops or shallow stones.

mm sz	<b>4.5</b>	<b>5.0</b>	<b>6.0</b>	<b>6.5</b>	<b>7.0</b>	<b>8.0</b>	<b>8.5</b>	<b>9.0</b>
mm ht	4.80	5.06	5.57	5.85	6.38	6.78	6.65	7.02
\$	\$18	\$23	\$24	\$27	\$30	\$36	\$38	\$40

mm sz	<b>9.5</b>	<b>10.0</b>	<b>11.0</b>	<b>12.0</b>	<b>13.0</b>	<b>14.0</b>	<b>15.0</b>	<b>16.0</b>
mm ht	6.90	7.30	7.00	7.50	8.24	7.82	8.95	8.58
\$	\$40 W	\$49 W	\$51 W	\$58 W	\$76 W	\$79 W	\$99 W	\$99 W



MM 5.0	5.5	6.0	6.5	7.0	7.5	8.0	9.0	9.5
Approx. Ct Wt. .50	.62	.75	1.0	1.25	1.5	2.0	2.5	3.0

## 2-63, 6 Prong High Peg 14K Y/W Die Struck (4, 5 & 6ct 14KY Cast,) Like 2-62 Series

Order by carat size.

<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	ct sz
3.1	3.5	4.0	4.6	5.0	5.5	6.0	6.5	7.0	mm sz
7.04	7.04	7.04	7.11	7.11	7.11	7.87	7.87	8.48	mm ht
\$30	\$31	\$32	\$33	\$34	\$35	\$50	\$52	\$54	\$



<u>1.50</u>	<u>2ct</u>	<u>2.50</u>	<u>3ct</u>	<u>3.50</u>	<u>4ct</u>	<u>5ct</u>	<u>6ct</u>	ct sz
7.5	8.0	9.0	9.5	10.0	10.5	11.0	13.0	mm sz
8.48	9.25	9.50	9.70	9.70	10.80	11.63	12.34	mm ht
\$56	\$83	\$84	\$84	\$85	\$102	\$130	\$151	\$

## 2-86, 6 Prong Peg 14K Y/W Die Struck...Order by carat size. A2-86 (Plat sizes .12-5ct)

<u>.06</u>	<u>.08</u>	<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	ct sz
2.5	2.7	3.1	3.5	4.0	4.6	5.0	5.5	6.0	6.5	mm sz
5.38	5.38	5.64	5.90	6.15	6.41	6.54	6.79	7.05	7.30	mm ht
\$16	\$17	\$19	\$21	\$23	\$29	\$32	\$33	\$41	\$44	\$



<u>1.25</u>	<u>1.50</u>	<u>2ct</u>	<u>2.50</u>	<u>3ct</u>	<u>3.50</u>	<u>4ct</u>	<u>5ct</u>	ct sz
7.0	7.5	8.0	9.0	9.5	10.0	11.0	12.0	mm sz
7.56	7.69	7.82	8.88	8.88	9.60	9.60	10.10	mm ht
\$50	\$53	\$56	\$73	\$74	\$86	\$87	\$114	\$

## 2-51, 6 Prong Tulip Peg 14KW Die Struck...Order by carat size.

<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>	ct sz
3.1	3.5	4.0	4.6	5.0	5.5	6.0	6.5	7.0	7.5	8.0	mm sz
5.38	5.48	5.28	5.25	5.92	5.87	6.63	6.44	7.57	7.34	7.23	mm ht
\$24	\$24	\$25	\$25	\$28	\$30	\$43	\$43	\$59	\$60	\$61	\$



Works well with shanks that have a narrow opening for the peg setting. Cathedrals and Peg shanks for example.

## 2-341, 6 Prong Peg 14KW Die Struck...Order by carat size.

<u>.12</u>	<u>.16</u>	<u>.25</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	ct sz
3.1	3.5	4.0	4.6	5.0	5.5	6.0	6.5	7.0	7.5	mm sz
5.64	5.60	5.49	5.90	5.80	6.35	6.19	6.11	6.81	6.70	mm ht
\$26	\$26	\$26	\$31	\$31	\$45	\$45	\$45	\$57	\$58	\$



## 2-345, 6 Prong Higher Heavier Peg 14KW Die Struck...Order by carat size.

<u>.25</u>	<u>.33</u>	<u>.40</u>	<u>.50</u>	<u>.60</u>	<u>.75</u>	<u>1ct</u>	<u>1.25</u>	<u>1.50</u>	<u>2ct</u>	<u>2.50</u>	<u>3ct</u>	ct sz
4.0	4.3	4.6	5.0	5.5	6.0	6.5	7.0	7.5	8.0	9.0	9.5	mm sz
6.15	6.41	6.41	6.54	6.79	7.05	7.30	7.56	7.69	7.82	8.88	8.88	mm ht
\$29	\$36	\$38	\$39	\$42	\$50	\$53	\$63	\$67	\$72	\$82	\$84	\$



MM 1.3	1.6	2.0	2.5	2.7	2.9	3.2	3.4	3.5	3.8	4.0	4.3	4.6	
Approx. Ct. Wt. .01	.02	.03	.06	.08	.10	.13	.15	.16	.20	.25	.33	.40	