



**Finger Fit Shanks**

Available in 14k Y/W, 10k Y/W, 18k Y & Platinum  
Complete 360 degree shank.

Finger Fit shanks will open 3 sizes to fit over  
knuckle, then lock securely.

**A - 2mm Single**

Cover Latches

**6-11020** - Single Cover Latch...\$46

**6-11040** - Double Cover Latch...\$83

**B - 4.4mm Double**

Replacement Parts

**FFW** - FREE Shank Replacement Wire  
**FFG** - FREE Plastic multi-sizer Ring Gauge

**C - 3mm Wide**

**Also Available : Demo Kit**

Benefit from the added sales generated from Finger Fit's national ad campaign in publications such as Better Homes and Gardens, Modern Maturity, Southern Living and Sunset.

Kit Includes: 10k Y demo ring set with 3/8ct cz. Flexible Finger Fit measuring gauge and installation instructions.

**FFDEMO**...\$396

**Finger Fit Shanks 10k, 14k, 18k & Platinum**

Order #	Available	Finger Sizes	Price
A <b>6-11003</b>	14k Y/W	2-5 1/2 when closed	\$410
A <b>6-11004</b>	14k Y/W	5-9 when closed	\$398
A <b>D6-11003</b>	18k Y	2-5 1/2 when closed	\$547
A <b>D6-11004</b>	18k Y	5-9 when closed	\$547
A <b>A6-11003</b>	Platinum	2-5 1/2 when closed	\$1501
A <b>A6-11004</b>	Platinum	5-9 when closed	\$1501
A <b>F6-11005</b>	10k Y/W	2-5 1/2 when closed	\$285
A <b>F6-11006</b>	10k Y/W	5-9 when closed	\$285
B <b>6-11009</b>	14k Y/W	2-5 1/2 when closed	\$820
B <b>6-11007</b>	14k Y/W	5-9 when closed	\$820
B <b>D6-11009</b>	18k Y	2-5 1/2 when closed	\$1094
B <b>D6-11007</b>	18k Y	5-9 when closed	\$1094
B <b>A6-11009</b>	Platinum	2-5 1/2 when closed	\$3001
B <b>A6-11007</b>	Platinum	5-9 when closed	\$3001
B <b>F6-11010</b>	10k Y/W	2-5 1/2 when closed	\$569
B <b>F6-11008</b>	10k Y/W	5-9 when closed	\$569
C <b>6-11014</b>	14k Y/W	2-5 1/2 when closed	\$507
C <b>6-11015</b>	14k Y/W	5-9 when closed	\$507
C <b>D6-11014</b>	18k Y	2-5 1/2 when closed	\$683
C <b>D6-11015</b>	18k Y	5-9 when closed	\$683



**FFG**  
Free



**A - 2.5mm**



**B - 4mm**



**Superfit Shanks**

Available in 14k Y or W. Opens fully to bypass swollen knuckles. Natural spring tension eliminates the need for a spring that could break or wear out. Push Button release. Dual latching system "clicks" when securely closed. 18k, Platinum & other widths available by special order.  
Stocked in finger sizes 3.5-8.

A. **6-325** - 2.5mm...\$664 sz 6

B. **6-340** - 4.0mm...\$854 sz 6

**6-SFS**

Stylus Pin for quick latch release  
First one is FREE with Shank Purchase  
Replacements at \$7.50 ea



**Adjusto Shanks 14k Y or W Die Struck**

Installation Instructions

1. Slide Adjusto Shank to the closed position.
2. Hold both shanks firmly against one another, preferably on a mandrel, and mark above the joint where to cut the shank. Cut the shank at an accurate angle and align with the Adjusto Shank. Then, solder the joint.
3. With the aid of a flexible shaft and appropriate selected wheels, shape the soldered joint to the same width as the applied shank.
4. Lightly buff both the inside and outside of the soldered part. The sliding action of the Adjusto Shank can be opened or closed very easily by the person wearing the ring.
5. Slide to full open position. Slip onto finger sideways...then turn setting upright. Slide shank closed for a firm and comfortable fit.

<b>6-11001</b>	3.4mm	Finger Sz 5-7	\$229
<b>6-11002</b>	3.4mm	Finger Sz 7-9	\$234

Superfit Tools Now in Stock

Superfit Finger Sizer - **T-917**...\$35.58

Superfit Pliers - **T-921**...\$275.40

See the Southeastern Findings Tool Catalog for more information.

# Speciality Shanks



The Lockshank Company



A  
6-025  
2.5mm



B  
6-035  
3.5mm



C  
6-045  
4.5mm



D  
6-065  
6.5mm

## Lock Shanks

Available in 14k Y or W.

Opens fully to accommodate any size knuckle. Opens easily with just a fingernail.

Stays securely locked until intentionally opened.

Keeps top heavy rings oriented correctly.

\*\*18k & Platinum available by Special Order.

\*\*Sizes 2, 5.5, 6.5, 7.5, 8.5, 9.5 & 10 available by Special Order.

Allow 10-12 working days for Special Orders.

A	6-025	2.5mm	Sz 6, 7, 8	\$781 sz 7
B	6-035	3.5mm	Sz 6, 7, 8	\$880 sz 7
C	6-045	4.5mm	Sz 6 & 10	\$1057 (6), \$1193 (10)
D	6-065	6.5mm	Sz 6 & 10	\$1207 (6), \$1531 (10)

See Page 144-146  
For the Complete  
Victorian Collection

## Victorian Collection



A



V4-402



B



V4-400



C



V4-4754



D



V4-4757

SHV18-50  
V18-50WR Matching Band



E



F



SH11-616

## Southeastern

Findings, Mountings, Tools and Wedding Bands

	Order #	mm Size	Available	Style	Price
A	V4-402	3x1.8 Tapered	14k Y/W	Shank for Round Setting - 1.95 dwt	\$317 Y, \$324 W
A	DV4-402	3x1.8 Tapered	18k Y/W	Shank for Round Setting - 2.23 dwt	\$385 Y, \$392 W
A	AV4-402	3-1.8 Tapered	Platinum	Shank for Round Setting - 3.30 dwt	\$1545
B	V4-400	2.7x1.8 Tapered	14k Y/W	Shank for V Set - 2.30 dwt	\$306 Y, \$313 W
B	DV4-400	2.7x1.8 Tapered	18k Y/W	Shank for V Set - 2.54 dwt	\$415 Y, \$422 W
B	AV4-400	2.7x1.8 Tapered	Platinum	Shank for V Set - 3.90 dwt	\$1522
C	V4-4754	3mm	14k Y/W	Cathedral - 3.01 dwt	\$396 Y, \$403 W
D	V4-4757	5mm	14k Y/W	Cathedral - 4.69 dwt	\$549 Y, \$556 W
E	SHV18-50	2.5mm	14k Y/W	Shank for V18-40 & V18-50 - 1.68 dwt	\$241 Y, \$248 W
E	ASHV18-50	2.5mm	Platinum	Shank for V18-40 & V18-50 - 3.55 dwt	\$1096
F	SH11-616	3.1x2.7 Tapered	14k Y/W	Shank for 11-616 or use w/ 3 Stone Top - 1.66 dwt	\$230 Y, \$237 W

ALL WEIGHTS ARE APPROXIMATE



Order #	Available		Price
A 6-4760	14k Y/W	1.5mm, 2.30 dwt - Cast	\$324 Y, \$331 W
B 6-4762	14k Y/W	2.0mm, 4.00 dwt - Cast	\$491 Y, \$498 W
C 6-4764	14k Y/W	2.5mm, 6.00 dwt - Cast	\$716 Y, \$723 W
D 6-4774	14k Y/W	2.5mm, 7.50 dwt - Victorian Style, Cast	\$842 Y, \$849 W
E 6-4770	14k Y/W	40) .015ct, Beaded Style, 4.70 dwt - Cast	\$568 Y, \$575 W
F 6-47445	14k Y/W	1.61 dwt, Die Struck	\$197
G 6-4772	14k Y/W	6) .015, 16) .025 & 8) .04ct, 6.00 dwt - Cast	\$699 Y, \$706 W
H 4-47051	14k Yellow	1.43 dwt - Die Struck	\$142
I 4-47006	14k Yellow	1.86 dwt - Die Struck	\$203
J 6-47195	14k Y/W	2.66 dwt - Cast	\$296 Y, \$303 W
K 6-47286	14k Y/W	1.58 dwt - Y Die Struck, W Cast	\$189 Y, \$196 W
L 6-47277	14k Y/W	2.39 dwt - Y Die Struck, W Cast	\$302 Y, \$309 W
M 6-4790	14k Y/W	1.79 dwt - Cast	\$184
N 6-47200	14k Y/W	1.29 dwt - Cast	\$178 Y, \$185 W
O 6-47205	14k Y/W	1.66 dwt - Cast	\$210 Y, \$217 W



**Southeastern**

Findings, Mountings, Tools and Wedding Bands

ALL WEIGHTS ARE APPROXIMATE